



KANALIZACJA ZEWNĘTRZNA

KSZTAŁTKI
RURY PVC



**Kielich remontowy
(w bosy koniec)**

NR. ART.	ROZMIAR	ILOŚĆ
2270	ø110	1 / 10
2450	ø160	1 / 10



Kolano ø110

NR. ART.	KĄT	ILOŚĆ
722	<90°	3 / 20
723	<67°	3 / 25
724	<45°	3 / 30
725	<30°	3 / 30
726	<15°	3 / 30



Kolano ø160

NR. ART.	KĄT	ILOŚĆ
595	<90°	1 / 20
596	<67°	1 / 20
594	<45°	1 / 20
593	<30°	1 / 20
610	<15°	1 / 25



Kolano ø200

NR. ART.	KĄT	ILOŚĆ
9542	<90°	1 / 3
9541	<67°	1 / 1
9540	<45°	1 / 1
9539	<30°	1 / 1
9538	<15°	1 / 1



**Trójnik
ø110/ø110/ø110**

NR. ART.	KĄT	ILOŚĆ
728	<90°	1 / 15
1438	<67°	1 / 10
729	<45°	1 / 10



Trójnik ø160/ø110/ø160

NR. ART.	KĄT	ILOŚĆ
599	<90°	1 / 15
444	<67°	1 / 15
597	<45°	1 / 10



**Trójnik
ø160/ø160/ø160**

NR. ART.	KĄT	ILOŚĆ
600	<90°	1 / 10
753	<67°	1 / 10
598	<45°	1 / 10



Trójnik ø200/ø200/ø200

NR. ART.	KĄT	ILOŚĆ
9574	<90°	1 / 1
9573	<45°	1 / 1



**Trójnik
ø200/ø160/ø200**

NR. ART.	KĄT	ILOŚĆ
9572	<90°	1 / 1
9571	<45°	1 / 1



Rewizja ø160

NR. ART.	ILOŚĆ
732	1 / 12



**Redukcja niska
ø160/ø110**

NR. ART.	ILOŚĆ
2269	1 / 10



Redukcja

NR. ART.	ROZMIAR	ILOŚĆ
601	ø160 / ø110	1 / 50
642	ø200 / ø160	1 / 10



Czwórnik
 $\phi 160/\phi 160/\phi 160/\phi 160$
 $<90^\circ$

NR. ART.	ILOŚĆ
752	1 / 1



Złączka nasuwna

NR. ART.	ROZMIAR	ILOŚĆ
727	$\phi 110$	1 / 25
611	$\phi 160$	1 / 25
9548	$\phi 200$	1 / 8



Korek zaślepiający

NR. ART.	ROZMIAR	ILOŚĆ
730	$\phi 110$	5 / 50
615	$\phi 160$	4 / 40
9545	$\phi 200$	1 / 20



Zaślepka

NR. ART.	ROZMIAR	ILOŚĆ
731	$\phi 110$	5 / 160
616	$\phi 160$	4 / 1



Zasuwa burzowa pozioma

NR. ART.	ROZMIAR	ILOŚĆ
613	$\phi 110$	1 / 1
614	$\phi 160$	1 / 1



Zasuwa burzowa końcowa 110 mm

NR. ART.	ILOŚĆ
2219	1 / 1



Rura PVC ø110 × 3,2
SN8 spieniona

NR. ART.	ROZMIAR	ILOŚĆ
940	L-500	5 / 50
941	L-1000	5 / 50
942	L-2000	5 / 50



Rura PVC ø160 × 3,2
SN2 spieniona

NR. ART.	ROZMIAR	ILOŚĆ
588	L-500	1 / 28
589	L-1000	1 / 28
590	L-2000	1 / 28



Rura PVC ø200 × 4,0
SN2 spieniona

NR. ART.	ROZMIAR	ILOŚĆ
9555	L-1000	1 / 15
9556	L-2000	1 / 15